



915 Main St Wilmington, Ma 01887
978-737-3333 Jason@HooverElectrical.com

GENERAC GENERATOR PREVENTIVE MAINTENANCE SERVICE AGREEMENT

Date: _____

CUSTOMER NAME _____

CUSTOMER ADDRESS _____

CUSTOMER PHONE # _____ CELL # _____

E-MAIL ADDRESS _____ FAX _____

GENERATOR MODEL# _____ SERIAL # _____

Service will be performed semi-annually as outlined on page 2 of this agreement.

Price:

- 1 Year Maintenance Agreement \$329.00
2 Year Maintenance Agreement \$599.00
3 Year Maintenance Agreement \$849.99
Now offering MobileLink remote generator monitoring for \$ 8.99 Monthly

All additional maintenance or repairs will be subject to standard service rates.

I accept and agree to the maintenance agreement term selected above as detailed on page 2 of this agreement.

Customer Acceptance Signature _____

Date _____

TERMS: Hoover Electrical agrees to provide the maintenance services described on page 2 for the period commencing upon payment of the charges set forth above and continuing for the one or two or three year Term selected by Customer.

Form of Payment

Form with fields for Amount Paid, Cash, Check #, Date Paid, Visa/MC, Exp Date, Name on Card, Security Code, and Approval.



PREVENTIVE MAINTENANCE SCHEDULE
Air Cooled

I -Inspect C- Clean R- Replace

	Year 1		Year 2		Comments
	1st Half	2nd Half	1st Half	2nd Half	
FUEL					
Fuel Lines and connections	I	I	I	I	
Flexible Fuel Line	I	I	I	I	
LUBRICATION					
Oil Level	I	I	I	I	
Oil (5w - 30 synthetic)		R		R	Every 200 Hours or Annually
Oil Filter		R		R	Every 200 Hours or Annually
COOLING					
Enclosure louvers	I / C	I / C	I / C	I / C	
GENERAL CONDITION					
Vibration, noise, leakage, temp	I	I	I	I	
BATTERY					
Remove corrosion, ensure dryness	I / C	I / C	I / C	I / C	
Clean and tighten battery terminals	I / C	I / C	I / C	I / C	
Check charge state	I	I	I	I	
Electrolyte level***	I / R	I / R	I / R	I / R	
BATTERY CABLE					
Remove corrosion, clean & tighten	I	I	I	I	
OUTSIDE ENCLOSURE					
Apply conditioner and wax	C	C	C	C	
ENGINE AND MOUNTING					
Air cleaner***		I / R		I / R	
Spark plugs(s)***		I / R		I / R	
Apply corrosion inhibiting spray to engine parts	I	I	I	I	
EXTERNAL CONNECTION BOX					
Tighten terminals	I	I	I	I	
Check for proper operation	I	I	I	I	
Check control wiring connection	I	I	I	I	
ELECTRICAL SYSTEMS					
No load output voltage	I	I	I	I	
Line to line - 240volts	I	I	I	I	
Line to neutral - 120volts	I	I	I	I	
Line to ground - 120volts	I	I	I	I	
Grounding conductor	I	I	I	I	
Earth ground	I	I	I	I	
DC control fuse	I	I	I	I	
Battery charger fuse	I	I	I	I	
Auto/off/manual switch	I	I	I	I	
Levelness of generator	I	I	I	I	

*** Replace as necessary



PREVENTIVE MAINTENANCE SCHEDULE
Liquid Cooled

I -Inspect C- Clean R- Replace

	Year 1		Year 2		Comments
	1st Half	2nd Half	1st Half	2nd Half	
FUEL					
Fuel Lines and connections	I	I	I	I	
Flexible Fuel Line	I	I	I	I	
LUBRICATION					
Oil Level	I	I	I	I	
Oil (5w - 30 synthetic)		R		R	
Oil Filter		R		R	
COOLING					
Enclosure louvers	I/C	I/C	I/C	I/C	
GENERAL CONDITION					
Vibration, noise, leakage, temp	I	I	I	I	
BATTERY					
Remove corrosion, ensure dryness	I/C	I/C	I/C	I/C	
Clean and tighten battery terminals	I/C	I/C	I/C	I/C	
Check charge state	I	I	I	I	
Electrolyte level***	I/R	I/R	I/R	I/R	
BATTERY CABLE					
Remove corrosion, clean & tighten	I	I	I	I	
OUTSIDE ENCLOSURE					
Apply conditioner and wax	C	C	C	C	
ENGINE AND MOUNTING					
Air cleaner***		I/R		I/R	
Spark plugs(s)***		I/R		I/R	
Apply corrosion inhibiting spray to engine parts	I	I	I	I	
EXTERNAL CONNECTION BOX					
Tighten terminals	I	I	I	I	
Check for proper operation	I	I	I	I	
Check control wiring connection	I	I	I	I	
ELECTRICAL SYSTEMS					
No load output voltage	I	I	I	I	
Line to line - 240volts	I	I	I	I	
Line to neutral - 120volts	I	I	I	I	
Line to ground - 120volts	I	I	I	I	
Grounding conductor	I	I	I	I	
Earth ground	I	I	I	I	
DC control fuse	I	I	I	I	
Battery charger fuse	I	I	I	I	
Auto/off/manual switch	I	I	I	I	
Levelness of generator	I	I	I	I	

*** Replace as necessary